


Installation manual

ACO Access Covers

SERVOKAT GD FR

- | | | | |
|------------|--|------------|--|
| ENG | Installation Manual
ACO Access Cover | EST | Paigaldusjuhend |
| GER | Installationsanleitung
ACO Schachtabdeckungen | LAV | Uzstādīšanas instrukcija
ACO Tehnisko lūku vāki |
| FRA | Instructions d´installation | LIT | Montavimo instrukcija
ACO apžiūros liukai |
| ESP | Manual De Instalación
ACO Tapas de registro | POL | Instrukcja montażu |
| POR | Manual de Instalação | BUL | Инструкции за инсталация |
| ITA | Manuale d´installazione
ACO Access Cover | HUN | Beépítési útmutató |
| NLD | Installatiehandleiding
ACO Toegangsluiken | RUM | Instructiuni de instalare |
| CZE | Instalační manuál | HRV | Upute za ugradnju |
| RUS | Инструкция По Установке | SLV | Navodila za vgradnjo |
| SWE | Installationsanvisning | SRP | Preporuka za ugradnju |
| NOR | Installasjons Manual | TUR | ACO Müdahale Kapakları |
| FIN | Asennusohje | | |
| DAN | Installationsvejledning | | |



ACO Access Covers SERVOKAT GD FR

Load class B 125

Order information – Galvanised steel


Clear opening (A x B)	External dimensions (C x D)	Frame height	Load class (EN 124)	Weight	E	EI	Lock type	Lock type
							NORMAL	EMERGENCY EXIT
[mm]	[mm]	[mm]		[kg]			Part No.	Part No.
600x800	744x944	130	B125	132,2	E120	EI60	448168	–
600x800	744x944	130	B125	138,3	E120	EI60	–	448171
800x800	944x944	130	B125	160,6	E120	EI60	448158	–
800x800	944x944	130	B125	166,7	E120	EI60	–	448162
800x1000	944x1144	130	B125	181,9	E120	EI60	448167	–
800x1000	944x1144	130	B125	188	E120	EI60	–	448173
1000x1000	1144x1144	130	B125	217,2	E120	EI60	448159	–
1000x1000	1144x1144	130	B125	223,3	E120	EI60	–	448169





Load class D 400

Order information – Galvanised steel


Clear opening (A x B)	External dimensions (C x D)	Frame height	Load class (EN 124)	Weight	E	EI	Lock type	Lock type
							NORMAL	EMERGENCY EXIT
[mm]	[mm]	[mm]		[kg]			Part No.	Part No.
600x800	744x944	130	D400	141,8	E120	EI60	448190	–
600x800	744x944	130	D400	147,9	E120	EI60	–	448195
800x800	944x944	130	D400	172	E120	EI60	448179	–
800x800	944x944	130	D400	178,2	E120	EI60	–	448184
800x1000	944x1144	130	D400	196,7	E120	EI60	448192	–
800x1000	944x1144	130	D400	202,8	E120	EI60	–	448188
1000x1000	1144x1144	130	D400	235,9	E120	EI60	448180	–
1000x1000	1144x1144	130	D400	242	E120	EI60	–	448182

Notes:



A large grid of dotted lines for taking notes, consisting of 20 columns and 30 rows of small squares.











A









B














$F \leq 25 \text{ kg}$ ✓
 $F > 25 \text{ kg}$ ✗

ACO. we care for water



Every ACO product supports
the ACO WaterCycle



- ACO Access Covers UNIFACE
Fire Resistance (FR)
- ACO Access Covers PAVING
Fire Resistance (FR)
- ACO Access Covers SOLID
Fire Resistance (FR)
- ACO Access Covers SERVOKAT GD
Fire Resistance (FR)



ACO Industries k.s.

Havlickova 260
582 22 Pribyslav
Czech Republic

www.aco-accesscovers.com

NM19729 ACO Access Covers SERVOKAT GD FR Manual/ENI/Q2/24